



4sustainability® is an innovative implementation framework and a registered mark assuring the sustainability performances of fashion & luxury supply chain.

The framework is built and continuously updated in line with the best methodologies, standards and practices.

OSTINELLI SETA

Ostinelli Seta s.p.a.
has joined the 4sustainability® Commitment
and applies the 4s CHEM Protocol
for eliminating toxic and harmful substances in production
through the ZDHC MRSL.

CHEM IMPLEMENTATION LEVEL



COMPANY ID Nr.	4S-100110		
ASSURANCE RATING:	53%	VERS. PROTOCOL CHEM:	4.2
ISSUE DATE:	27/06/2022	EXPIRATION DATE:	27/06/2023

Issue by:
Process Factory s.r.l.
Via A. Da Noli, 4/6 - 50127 Firenze
CF/P.IVA: 058052004





ABSTRACT

4s Assurance Report Chemical Management Version 4.2



Ostinelli Seta S.p.a

4s REQUIREMENTS

Management system

Evaluating the implementation of a chemical management system within the company. The verified requirements range from the presence and communication of an internal sustainability policy, to staff training, as well as to the definition of reduction targets and monitoring of over-time performance.

Chemical risk management

Assessing chemicals risk management within the factory. The verified requirements measure the chemical inventory information management, the related qualification level to ZDHC MRSL 2.0, and related phase out plan and improvement plan.

Materials risk management

Assessing the management and control system of incoming materials and their compliance level with 4sustainability PRSL, as a tool for reducing the risk of incoming contamination in the production process.

Supply Chain assessment

Evaluating the company's supply chain management and assessment. The verified requirements measure the mapping activity, qualification, engagement, training and monitoring of subcontractors and material suppliers and all the procedures in place.

Process management

Assessing the production processes management and traceability. The verified requirements measure the correct functioning of the internal traceability system and its digitalization. Moreover it includes process due-diligence tests in order to monitor contamination on the products.


Chemical Health&Safety

Assessing health and safety requirement linked to chemical management. The verified requirements range from labeling, handling and storage of chemical products within the factory, to emergency procedure and waste management.


Output Management

Evaluating the company management of process output. The verified requirements range from legal permission for emission to the control of waste water according to ZDHC Guidelines, for internal and external processes and final product testing.

4S REQUIREMENT - IMPLEMENTATION LEVEL



ASSURANCE RATING



53%

ASSURANCE DATE

24/03/2022



PRODUCTION MODEL


The company manufacture and sells fabric.
The company does not carry out any internal process,
and outsources processes of dyeing, washing, printing and finishing .

Name of Internal Chemical Manager:
ZDHC accredited training course and date:

Giovanna Baglio
Waste Water Management 04/09/2019

INPUT

CHEMICALS




The production coverage is calculated from the meters of textile wet processed by subcontractors.

TOT n. of verified chemical inventory: 8


RAW MATERIALS

RAW MATERIALS SUPPLIERS RATING



PROCESS

CHEMICAL HIGH-RISK EXTERNAL PROCESSES SUBCONTRACTORS RATING



OUTPUT


EXTERNAL WASTEWATER

SUBCONTRACTOR 1

% OF EXTERNALISED PROCESSES: 13%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

MRSL Parameters




SUBCONTRACTOR 2

% OF EXTERNALISED PROCESSES: 6%

Internal Wastewater Treatment Plant - POST TREATMENT MONITORING

MRSL Parameters




SUBCONTRACTOR 3

% OF EXTERNALISED PROCESSES: 4%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

MRSL Parameters




SUBCONTRACTOR 4

% OF EXTERNALISED PROCESSES: 3%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water) h

MRSL Parameters




SUBCONTRACTOR 5

% OF EXTERNALISED PROCESSES: 3%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

MRSL Parameters



SUBCONTRACTOR 6

% OF EXTERNALISED PROCESSES: 2%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

MRSL Parameters

