

4sustainability® is an innovative implementation framework and a registered mark assuring the sustainability performances of fashion & luxury supply chain.

The framework is built and continuously updated in line with the best methodologies, standards and practices.



Gipitex s.r.l.

has joined the 4sustainability® Commitment
and applies the 4s CHEM Protocol
for eliminating toxic and harmful substances in production
through the ZDHC MRSL.

# CHEM IMPLEMENTATION LEVEL



COMPANY ID Nr. 4S-100298

ASSURANCE RATING: 80% VERS. PROTOCOL CHEM: 4.2
ISSUE DATE: 25/07/2022 EXPIRATION DATE: 25/07/2023

Issue by: Process Factory s.r.l. Via A. Da Noli, 4/6 - 50127 Firenze CF/P.IVA: 058052004





# ABSTRACT



# 4s Assurance Report Chemical Management Version 4.2

Gipitex s.r.l.

# 4s REQUIREMENTS

Evaluating the implementation of a chemical management system within the company. The verified requirements range from the presence and communication of an internal sustainability policy, to staff training, as well as to the definition of reduction targets and monitoring of over-time performance.

Assessing chemicals risk management within the factory. The verified requirements measure the chemical inventory information management, the related qualification level to ZDHC MRSL 2.0, and related pahse put plan and improvement plan.

# Materials risk management

Assessing the management and control system of incoming materials and their compliance level with 4sustainability PRSL, as a tool for reducing the risk of incoming contamination in the production process.

# Supply Chain assessment

Evaluating the company's supply chain management and assessment. The verified requirements measure the mapping activity, qualification, engagement, training and monitoring of subcontractors and material suppliers and all the procedures in place.

Assessing the production processes management and traceability. The verified requirements measure the correct functioning of the internal traceability system and its digitalization. Morover it includes processe due-diligence tests in order to monitor contamination on the products.

Assessing health and safety requirement linked to chemical management. The verified requirements range from labeling, handling and storage of chemical products within the factory, to emergency procedure and waste management.

# Output Management

Evaluating the company managament of process output. The verified requirements range from legal permission for emission to the control of waste water according to ZDHC Guidelines. for internal and external processes and final product testing


# 4S REQUIREMENT - IMPLEMENTATION LEVEL



**ASSURANCE RATING** 

**ASSURANCE DATE** 

21/07/2022






The company manfacture and sells fabric.
The company does not carry out any internal process, and outsources processes of dyeing, finishing and primting.


Name of Internal Chemical Manager: ZDHC accredited training course and date:

data


Anna Borghi, Sara Rossi ZDHC TIG Jan. 2022



# RAW MATERIALS SUPPLIERS RATING



# CHEMICAL HIGH-RISK EXTERNAL PROCESSES SUBCONTRACTORS RATING






## OUTPUT

## EXTERNAL WASTEWATER


SUBCONTRACTOR 1 % OF EXTERNALISED PROCESSES: 48%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)



SUBCONTRACTOR 2 % OF EXTERNALISED PROCESSES: 10%


CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)



SUBCONTRACTOR 3 % OF EXTERNALISED PROCESSES: 8%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

# MRSL Parameters






SUBCONTRACTOR 4 % OF EXTERNALISED PROCESSES: 0%

99,45%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)



MRSL: % NOT ANALYSED

SUBCONTRACTOR 5 % OF EXTERNALISED PROCESSES: 0%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

# MRSL Parameters MRSL: % MEETS THE REQUIREMENTS MRSL: % DOESN'T MEET THE REQUIREMENTS MRSL: % NOT ANALYSED

