

4sustainability® is an innovative implementation framework and a registered mark assuring the sustainability performances of fashion & luxury supply chain. The framework is built and continuously updated in line with the best methodologies, standards and practices.



Lyria S.p.a. has joined the 4sustainability® Commitment and applies the 4s CHEM Protocol for eliminating toxic and harmful substances in production through the ZDHC MRSL.

CHEM IMPLEMENTATION LEVEL



COMPANY ID Nr. 4S-100305

ASSURANCE RATING: 79%

ISSUE DATE: 10/01/2023 VERS. PROTOCOL CHEM: **EXPIRATION DATE:** 10/01/2024

4.2

Issue by: Process Factory s.r.l. Via A. Da Noli, 4/6 - 50127 Firenze CF/P.IVA: 058052004





ABSTRACT



4s Assurance Report Chemical Management Version 4.2

Lyria S.p.a.

4s REQUIREMENTS

Evaluating the implementation of a chemical management system within the company. The verified requirements range from the presence and communication of an internal sustainability policy, to staff training, as well as to the definition of reduction targets and monitoring of over-time performance.

Assessing chemical risk management within the factory. The verified requirements measure the chemical inventory information management, the related qualification level to ZDHC MRSL 2.0, and related pahse put plan and improvement plan.

Assessing the management and control system of incoming materials and their compliance level with 4sustainability PRSL, as a tool for reducing the risk of incoming contamination in the production process.

Supply Chain assessment

Evaluating the company's supply chain management and assessment. The verified requirements measure the mapping activity, qualification, engagement, training and monitoring of subcontractors and material suppliers and all the procedures in place.

Assessing the production processes management and traceability. The verified requirements measure the correct functioning of the internal traceability system and its digitalization. Morover it includes processe due-diligence tests in order to monitor contamination on the products.

Chemical Health&Safety
Assessing health and safety requirement linked to chemical management. The verified requirements range from labeling, handling and storage of chemical products within the factory, to emergency procedure and waste management.

Output Management

Evaluating the company managament of process output. The verified requirements range from legal permission for emission to the control of waste water according to ZDHC Guidelines. for internal and external processes and final product testing.

4S REQUIREMENT - IMPLEMENTATION LEVEL





ASSURANCE DATE

14/12/2022



PRODUCTION MODEL


The company manfacture and sells fabric.
The company does not carry out any internal process, and outsources processes of warping, weaving, dyeing and finishing.

Name of Internal Chemical Manager: ZDHC accredited training course and date: Fabio Carradori

ZDHC Academy Chemical Manager base 10-12 Novembre 2020

INPUT

CHEMICALS



The production coverage is colculated from the meters of textile wet processed by the subcontractors. For yarn dyeing a linear weight of 3,33 kg has been assumed.

TOT n. of ve


ΡΔΙΜ ΜΔΤΕΡΙΔΙ 9

RAW MATERIALS SUPPLIERS RATING



PROCESS

CHEMICAL HIGH-RISK EXTERNAL PROCESSES SUBCONTRACTORS RATING






OUTPUT

EXTERNIAL WASTEWATER

SUBCONTRACTOR 1 % OF EXTERNALISED PROCESSES: 35%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)




SUBCONTRACTOR 2 % OF EXTERNALISED PROCESSES: 31%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

MRSL Parameters 1,65% ■ MRSL: % MEETS THE REQUIREMENTS ■ MRSL: % DOESN'T MEET THE REQUIREMENTS 98,35% ■ MRSL: % NOT ANALYSED

SUBCONTRACTOR 3 % OF EXTERNALISED PROCESSES: 22%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)





SUBCONTRACTOR 4 % OF EXTERNALISED PROCESSES: 3%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

