



4sustainability® is an innovative implementation framework and a registered mark assuring the sustainability performances of fashion & luxury supply chain.

The framework is built and continuously updated in line with the best methodologies, standards and practices.



CASA DEL FILATO

*Italian Yarn*

Casa del Filato s.r.l.  
has joined the 4sustainability® Commitment  
and applies the 4s CHEM Protocol  
for eliminating toxic and harmful substances in production  
through the ZDHC MRSL.

## CHEM IMPLEMENTATION LEVEL



COMPANY ID Nr. 4S-100250

ASSURANCE RATING: 71%

ISSUE DATE: 26/06/2023

VERS. PROTOCOL CHEM: 4.3

EXPIRATION DATE: 26/06/2024

Issue by:  
Process Factory s.r.l.  
Via A. Da Noli, 4/6 - 50127 Firenze  
CF/P.IVA: 058052004





# ABSTRACT

## 4s Assurance Report Chemical Management Version 4.3



Casa del Filato s.r.l.

### 4s REQUIREMENTS

#### Management system

Evaluating the implementation of a chemical management system within the company. The verified requirements range from the presence and communication of an internal sustainability policy, to staff training, as well as to the definition of reduction targets and monitoring of over-time performance.

#### Chemical risk management

Assessing chemicals risk management within the factory. The verified requirements measure the chemical inventory information management, the related qualification level to ZDHC MRSL 2.0, and related pahse put plan and improvement plan.

#### Materials risk management

Assessing the management and control system of incoming materials and their compliance level with 4sustainability PRSL, as a tool for reducing the risk of incoming contamination in the production process.

#### Supply Chain assessment

Evaluating the company's supply chain management and assessment. The verified requirements measure the mapping activity, qualification, engagement, training and monitoring of subcontractors and material suppliers and all the procedures in place.

#### Process management

Assessing the production processes management and traceability. The verified requirements measure the correct functioning of the internal traceability system and its digitalization. Moreover it includes processe due-diligence tests in order to monitor contamination on the products.


#### Chemical Health&Safety

Assessing health and safety requirement linked to chemical management. The verified requirements range from labeling, handling and storage of chemical products within the factory, to emergency procedure and waste management.


#### Output Management

Evaluating the company management of process output. The verified requirements range from legal permission for emission to the control of waste water according to ZDHC Guidelines. for internal and external processes and final product testing.

### 4S REQUIREMENT - IMPLEMENTATION LEVEL



### ASSURANCE RATING



71%

### ASSURANCE DATE

26/05/2023

## PRODUCTION MODEL


The company manufactures and sells yarn.  
The company does not carry out any internal process,  
and outsources processes of dyeing.

Name of Internal Chemical Manager:  
ZDHC accredited training course and date:

Leonardo Mannelli  
Introduction to Chemical Management ZDHC - June 2021

## INPUT

### CHEMICALS



TOT n. of verified chemical inventory: 4


### RAW MATERIALS

#### RAW MATERIALS SUPPLIERS RATING



## PROCESS

#### CHEMICAL HIGH-RISK EXTERNAL PROCESSES SUBCONTRACTORS RATING



# OUTPUT


## EXTERNAL WASTEWATER

SUBCONTRACTOR 1

% OF EXTERNALISED PROCESSES: 35%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

MRSL Parameters




SUBCONTRACTOR 2

% OF EXTERNALISED PROCESSES: 33%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

MRSL Parameters




SUBCONTRACTOR 3

% OF EXTERNALISED PROCESSES: 2%

0

MRSL Parameters



SUBCONTRACTOR 4

% OF EXTERNALISED PROCESSES: 1%

CETP (Central Effluent Treatment Plant) - PRE TREATMENT MONITORING (Raw waste water)

MRSL Parameters

