



4sustainability® is an innovative implementation framework and a registered mark assuring the sustainability performances of fashion & luxury supply chain.

The framework is built and continuously updated in line with the best methodologies, standards and practices.

NF

NOVA FIDES

Lanificio Nova Fides S.p.A.
has joined the 4sustainability® Commitment
and applies the 4s CHEM Protocol
for eliminating toxic and harmful substances in production
through the ZDHC MRSL.

CHEM IMPLEMENTATION LEVEL



COMPANY ID Nr.

4S-100249

ASSURANCE RATING:

85%

VERS. PROTOCOL CHEM:

5.0

ISSUE DATE:

20/01/25

EXPIRATION DATE:

20/01/26

Issue by:
Process Factory s.r.l.
Via A. Da Noli, 4/6 - 50127 Firenze
CF/P.IVA: 058052004





ABSTRACT

4s Assurance Report Chemical Management Version 5.0



Lanificio Nova Fides S.p.A.

4s REQUIREMENTS

Management system

Evaluating the implementation of a chemical management system within the company. The verified requirements range from the presence and communication of an internal sustainability policy, to staff training, as well as to the definition of reduction targets and monitoring of over-time performance.

Chemical risk management

Assessing chemicals risk management within the factory. The verified requirements measure the chemical inventory information management, the related qualification level to ZDHC MRSL 2.0, and related pahse put plan and improvement plan.

Materials risk management

Assessing the management and control system of incoming materials and their compliance level with 4sustainability PRSL, as a tool for reducing the risk of incoming contamination in the production process.

Supply Chain assessment

Evaluating the company's supply chain management and assessment. The verified requirements measure the mapping activity, qualification, engagement, training and monitoring of subcontractors and material suppliers and all the procedures in place.

Process management


Assessing the production processes management and traceability. The verified requirements measure the correct functioning of the internal traceability system and its digitalization. Moreover it includes processe due-diligence tests in order to monitor contamination on the products.

19/11/24


Output Management

Evaluating the company management of process output. The verified requirements range from legal permission for emission to the control of waste water according to ZDHC Guidelines. for internal and external processes and final product testing.

4S REQUIREMENT - IMPLEMENTATION LEVEL



ASSURANCE RATING



85%

ASSURANCE DATE

19/11/24

PRODUCTION MODEL

The company manufactures and sells fabric.
The company does not carry out any internal process,
and outsources processes of weaving, dyeing and finishing.

Name of Internal Chemical Manager:

Martina Vitale

ZDHC accredited training course and date:

ZDHC CMS Framework for Suppliers Training - 20/10/2024

INPUT

CHEMICALS vs MRSL ZDHC v. 3.1

% of wet processes carried out internally out of the total workload

0%

% outsourced wet processes - CI VERIFIED by audit

22%

% outsourced wet processes - CI VERIFIED by remote assessment

26%


% outsourced work - missing CI data

53%

% outsourced work not collected data (over 80%)

14%

VERIFIED CHEMICAL INVENTORY - SUPPLY CHAIN AVERAGE



- % of Self-declarations
- % of Level 1 products or equivalent
- % of Level 2 products or equivalent
- % of Level 3 products or equivalent
- % of dubious products
- % of non-compliant products


The production coverage is calculated from the kg of textile wet processed by the subcontractors.

TOT n. of verified chemical inventory:

2

RAW MATERIALS


MATERIALS SUPPLIERS RATING



- % of purchases from material suppliers with high rating
- % of purchases from material suppliers with medium rating
- % of purchases from material suppliers with low rating
- % of purchases from material suppliers with no rating

PROCESS

MATERIALS SUPPLIERS RATING



- % of purchases from material suppliers with high rating
- % of purchases from material suppliers with medium rating
- % of purchases from material suppliers with low rating
- % of purchases from material suppliers with no rating


OUTPUT	
EXTERNAL WASTEWATER	
SUBCONTRACTOR 1	% OF EXTERNAL WORKLOAD: 39%
Indirect Discharge without Pre-Treatment (CETP - Central Effluent Treatment Plant)	WW Testing performed yearly: 1,00

Conventional and Anions

N/A


- % ASPIRATIONAL
- % PROGRESSIVE
- % FOUNDATIONAL
- % ALERT
- % NOT ANALYSED

MRSL



- % MEETS THE REQUIREMENTS
- % DOESNT MEET THE REQUIREMENTS
- % NOT ANALYSED

Metals



- % ASPIRATIONAL
- % PROGRESSIVE
- % FOUNDATIONAL
- % ALERT
- % NOT ANALYSED

SLUDGE

N/A


SUBCONTRACTOR 2	% OF EXTERNAL WORKLOAD: 26%
Indirect Discharge without Pre-Treatment (CETP - Central Effluent Treatment Plant)	WW Testing performed yearly: 1,00

Conventional and Anions

N/A


- % ASPIRATIONAL
- % PROGRESSIVE
- % FOUNDATIONAL
- % ALERT
- % NOT ANALYSED

MRSL



- % MEETS THE REQUIREMENTS
- % DOESNT MEET THE REQUIREMENTS
- % NOT ANALYSED

Metals



- % ASPIRATIONAL
- % PROGRESSIVE
- % FOUNDATIONAL
- % ALERT
- % NOT ANALYSED

SLUDGE


N/A

SUBCONTRACTOR 3	% OF EXTERNAL WORKLOAD: 22%
Indirect Discharge without Pre-Treatment (CETP - Central Effluent Treatment Plant)	WW Testing performed yearly: 1,00

Conventional and Anions


- % ASPIRATIONAL
- % PROGRESSIVE
- % FOUNDATIONAL
- % ALERT
- % NOT ANALYSED

MRSL



- % MEETS THE REQUIREMENTS
- % DOESNT MEET THE REQUIREMENTS
- % NOT ANALYSED

Metals



- % ASPIRATIONAL
- % PROGRESSIVE
- % FOUNDATIONAL
- % ALERT
- % NOT ANALYSED

SLUDGE

N/A